

**OFFICE OF THE EXECUTIVE ENGINEER
RURAL WATER SUPPLY & SANITATION DIVISION, RAYAGADA**

Phone - (06856) 236189, email: eerwssrgd@gmail.com

QUOTATION CALL NOTICE No 10/2019-20 Dt. 06.03.2020

The Executive Engineer, RWS&S Division, Rayagada on behalf of Governor of Odisha invites sealed quotations from Authorised Manufactures, Authorised Dealers, Authorised Distributers for supply of Chemicals, Glassware, Consumables of reputed makes for testing of drinking water at RWS&S Divisional Laboratory, Rayagada/ Sub-Divisional laboratory, Ramnaguda and Muniguda.

The time schedule of quotation is as follows.

- 1) **Date for submission of quotation:- from 12/03/2020 to 19/03/2020**
- 2) **Date of Opening of Quotation:- 11 A.M of 20/03/2020**

The detail item list and term and condition are available in office of the Executive Engineer RWS&S Division, Rayagada during office hours or can be downloaded from www.odisha.gov.in , www.rayagada.nic.in


6.3.2020

Executive Engineer
RWS&S Division, Rayagada

Memo No. 990 Dt. 6.3.20

By E-Mail: tendersorissa@gmail.com

Copy along with soft copy of the notice submitted to the Head Portal, I.T. Centre, Information & Technology Department for exhibiting the advertisement in the web site of the Government (www.odisha.gov.in) on or before _____


6.3.2020

Executive Engineer

Memo No. 991 Dt. 6.3.20

By E-Mail: ipr.advt@gmail.com/iprenews@gmail.com

Copy with soft copy submitted to the Deputy Director (Advertisement)-cum-Deputy Secretary to Govt. in Information & Public Relation Department. Odisha, Bhubaneswar for information with a request to arrange publication of the quotation call notice by **11.03.2020** in two leading Odia daily Newspapers for wide circulation. The advertising Manager is requested to send the copies of the newspaper containing the Advertisement to this office for reference and record. The approximate estimated cost stands at Rs. 1.85 Lakhs.


6.3.2020

Executive Engineer

Memo No. 992 Dt. 6.3.20

Copy along with soft copy forwarded to the DIO, NIC, Rayagada for information and with a request to exhibit the advertisement in the district website(www.rayagada.nic.in) on or before **11.03.2020**.


6.3.2020

Executive Engineer

Memo No. 993 **Dt.** 6.3.20

Copy submitted to the Superintending Engineer, RWS&S Circle, Koraput for favour of information and with a request to display this Quotation Call Notice in his office Notice Board for wide publicity.

[Signature]
6.3.2020

Executive Engineer

Memo No. 994 **Dt.** 6.3.20

Copy submitted to the Engineer-in-Chief, RWS&S (Odisha), Bhubaneswar/ Engineer-in-Chief, P.H.(Urban), Odisha, Bhubaneswar/ All Superintending Engineers, RWS&S Circle/ Superintending Engineer, PMD&I Circle, Bhubaneswar/ Superintending Engineer, RWPH Circle, Bhubaneswar/ Superintending Engineer, PH(R&B) Circle, Bhubaneswar with a request to display this Quotation Call Notice in their office Notice Board for wide publicity.

[Signature]
6.3.2020

Executive Engineer

Memo No. 995 **Dt.** 6.3.20

Copy forwarded to the All Executive Engineers, RWS&S Division/ Executive Engineer, R.W. (PH) Division, Bhubaneswar/ All Executive Engineers, RWS&S Mechanical Division/ All Executive Engineers, GPH Division with a request to display this Quotation Call Notice in their office Notice Board for wide publicity.

[Signature]
6.3.2020

Executive Engineer

Memo No. 996 **Dt.** 6.3.20

Copy submitted to the Project Director, DRDA, Rayagada/ Project Administrator, I.T.D.A, Rayagada for information with a request to display this Quotation Call Notice in their office Notice Board.

[Signature]
6.3.2020

Executive Engineer

Memo No. 997 **Dt.** 6.3.20

Copy forwarded to the Executive Engineers, RW Division - I & II, Rayagada, Executive Engineer, R&B Division, Rayagada, Executive Engineer, M.I. Division, Rayagada with a request to display this Quotation Call Notice in their office Notice Board for wide publicity.

[Signature]
6.3.2020

Executive Engineer

Memo No. 998 **Dt.** 6.3.20

Copy forwarded to the Assistant Executive Engineer, RWS&S Sub-Division, Rayagada/ Muniguda/ Ramnaguda, All Junior Engineers under RWS&S Division, Rayagada with a request to display this Quotation Call Notice in their office Notice Board for wide publicity.

[Signature]
6.3.2020

Executive Engineer

Memo No. 999 **Dt.** 6.3.20

Copy to Estimating Branch (3 copies) / D.A.O. / Head Clerk / Cashier / File / Office Notice board with 10 extra copies for information and necessary action.

[Signature]
6.3.2020

Executive Engineer

**GOVERNMENT OF ODISHA
PANCHAYATIRAJ & DRINKING WATER DEPARTMENT
EXECUTIVE ENGINEER, RWS&S DIVISION, RAYAGADA**

TERMS AND CONDITIONS

1. Executive Engineer, RWS&S Division, Rayagada on behalf of Governor of Odisha invites sealed quotation via this Office Quotation Call Notice **No. 10 Dt. 06.03.2020** to be received from 12.03.2020 at 10.00 AM to **19.03.2020 upto 5.00 P.M.** and will be opened at **11.00 AM**. On dt. **20.03.2020**.
2. The quotationer are required to pay earnest money & Security deposit @1% (One percent) of the quoted amount in shape of National Savings Certificate, Postal Time Deposit Account, Kishan Vikash Patra, Deposit receipt of Scheduled bank duly pledged in favour of the Executive Engineer, RWS&S Division Rayagada otherwise their quotation will not be considered. The earnest money will be refunded to the un-successful quotationers on application after the period of validity of quotation. The same will be retained in case of the successful quotationer still completion of the contract. The successful quotationers those who will not carry out the contract, their E.M.D. will be forfeited and they will not be entertained to execute any other work. Adjustment of earnest money deposited or submitted earlier will not be entertained.
3. In case the quotationer seeking exemption of EMD and security deposit, the agency must produce the authentic documents in support of claim.
4. The quotation will not be considered unless accompanied with attested true copy of Valid authorised Dealership certificate /Manufacturers Certificate / Distributors Certificate /Income Tax Clearance or PAN/STCC/ GSTN certificate etc.
5. The Quotation should be supported make, model, ISO or ISI with all relevant specification /leaflet/ user manual etc. of respective company etc. if any along with the quotation.
6. The quotationer should please note that the supply will have to be completed within stipulated period commencing from the date of issue of order.
7. The rate should be quoted in words and figures (**up to two decimal points only**) in the quotation otherwise the quotation will be liable for rejection. In case any discrepancy between words and figures quoted, the rates written in words shall prevail. The quotation shall be written legibly and free from erasures. Over writings or conversion of figures, corrections where un-avoidable should be made by scoring out, initialing, dating and rewriting. Quotationers must quote rate for all items. The rate should be inclusive of transportation, insurance, package etc. whatever may be. GST shall be paid extra as applicable.
8. All taxes whatever applicable is to be paid by the agency (as applicable) with transportation for delivery to Rayagada.
9. F.O.R.:- RWS&S Division, Rayagada.
10. The quotationers whose quotation is selected for acceptance shall deposit the balance amount of initial security deposits that the E.M.D. and initial security deposit will be 2% (Two percent) of the accepted value in the office of the Executive Engineer, RWS&S Division, Rayagada as per order. The Security Deposit together with the earnest money and the amount withheld according to the provision are to be made. Failure to make the Security deposit as above shall entail forfeiture of the Earnest money.
11. 5% of the Basic Cost will be withheld as Security Deposit for a defect liability period of six months from the date of supply & testing.

12. The validity period of the quotation should be for a period of 90(Ninety) days from the opening of quotation and validity of quotation can also be extended if agreed to by the agency and Dept. on submission of "No Claim Certificate" by the agency.
13. The notice calling for quotations which is in display on the Office notice board would form a part of the terms & conditions of the order, which may please be noted. The quotation should be in sealed cover. No conditional quotation will be entertained. The call notice may be seen in the Office of the Executive Engineer, RWS&S Division, Rayagada during working days.
14. The details of materials with quality, make etc. if available with the agency should be appended with the quotations.
15. The quantities mentioned in the schedule of quantity are approximate and may vary up word or down word during issue of supply order, but agency's claim to that effect shall not be entertained.
16. The agency shall have to furnish a certificate with the quotation to the effect that he is not related to any Officer of the RWS&S wing to the rank of Assistant Engineer or above and any Officer to the rank of Additional Secretary or above of Panchayati Raj & Drinking Water Department.
17. Defective materials: No compensation for any damage done by any means during transportation is admissible. Transit insurance is the responsibility of supplier. As pointed out by the receiving Officer (Consignee), the defective materials, if any should be taken by at suppliers risk and cost within 15days from the date of intimation by the consignee.
18. The quotation, which is not in order and not strictly according to the terms and conditions and specification of the quotation, called for is liable to rejection.
19. The Security Deposit will be refunded after One year from the date of completion of the supply and after payment off in a bill.
20. Any defect detected during execution within one year after completion of the supply should be rectified by the Agency at his own cost failing which the defects shall be made good by the Dept. or any other agency at the risk and such cost will be adjusted against the Security Deposit and/or any amount to be payable to him. Under no circumstances the interest is chargeable for the dues or additional dues if any applicable to Agency.
21. It may please be noted that, if the quotationer backs out from the offer before each acceptance of the quotation by the competent authority E.M.D. deposited will be forfeited, as per Works Department No.9100/Wdt.30.03.1999.
22. In case of delay in execution of the supply for the reasons/circumstances beyond control of the Agency necessary application for extension of time in prescribed form may be submitted by the Supplier before 10 (ten) days from the stipulated date of completion of supply for consideration by competent departmental authority.
23. That for the purpose of jurisdiction in the event of dispute if any of the contract would be deemed to have been entered in to the District Head Qtrs. of Rayagada and neither party to the Contract is competent to bring a suit at any place outside the State of Odisha.
24. In case of discrepancy in the description of the items in this Quotation Call Notice and Bill of quantity, the decision of the Engineer-in-Chief, RWS&S Odisha, Bhubaneswar shall be final binding and conclusive for the purpose of this contract. The law of court at Rayagada shall only have the jurisdiction to decide any dispute arising out of or in respect of the contract.
25. The Supply and Installation EMD will be completed within 15(Fifteen) days from issue order failing which the EMD shall be forfeited.
26. The supply should be completed within the days as specified in supply order.

27. Penalty: In the event of non-supply or part supply of the materials within the stipulated time, liquidated damage at the rate of 0.5% per week of the value of the quantum of materials involved in the delay subject to maximum of 2.5% shall be realized from the bills of the supplier.
28. The rate approved during the process will remain valid for another six months minimum.
29. The Quantity of materials, Type & capacity may be varied according to requirement.
30. Inspection & Testing: The supplier should hand over or mention about expire period of Chemicals. Warrant certificate, Test certificate, Valid authorized Dealership certificate / Manufacture's Certificate/Distributors Certificate & Literature of the manufacturer, Manufacturer's test certificate to the consignee with Bills. The minimum expire period should not be less than 6 (Six) months. It is also as per manufactures details.
31. The agency should have go through the terms and conditions mentioned above and do here by agree to abide and fulfill all the terms and provisions thereof, or any default thereof pay to the Governor of Odisha or his Successors the penalties or sum of money mentioned in the said conditions.
32. The materials such as Chemicals/Glassware etc. as supplied should be guaranteed for a period of 6(SIX) months from the date of supply for any manufacturing defect.
33. The L1 will be selected individual item wise, not in all total value. However if necessary the quantities may be distributed among the participants.
34. Some of the Item/ Items name may be deleted/quantity of item/ items required may be increased or decreased according to budget provisions.
35. Mode of Payment:-100% payment shall be made after supply of materials in good condition at destination.
36. The authority reserves the right to reject any or all quotations without assigning any reason thereof.


6.3.2020

Executive Engineer
RWS&S Division, Rayagada

Format for Quotation
RWS&S Division, Rayagada

1 **Name of the Quotation: Supply of Chemicals and consumables to Water Testing Laboratories under RWS&S Division, Rayagada**

2 Name of the Firm:

3 Address / Contact No. / e-mail ID if any:

4 GSTIN Registration No:

5 PAN No:

6 EMD Details

Schedule - "A"

Ch. Head:

Sl. No	Description of Item	Total Qty	Unit	Quoted Price per unit	Total Price
A	For Analysis of pH				
1	pH Buffer Tablet (pH 4.0)	9	Pkts		
2	pH Buffer Tablet (pH 7.0)	9	Pkts		
3	pH Buffer Tablet (pH 9.2)	9	Pkts		
4	Universal Indicator Solution	12 x 500	Ltrs		
B	For Analysis of Conductivity				
1	Potassium Chloride (KCl)	3 x 500	Gms		
C	For Analysis of Turbidity				
1	Hydrazine Sulfate	6 x 100	Gms		
2	Hexamethylenetetramine	3 x 500	Gms		
D	For Analysis of Chloride				
1	Silver Nitrate	3 x 25	Gms		
2	Potassium Chromate	3 x 500	Gms		
3	Sodium Chloride	3 x 500	Gms		
E	For Analysis of Alkalinity				
1	Sulphuric Acid	3 x 1000	MI		
2	Standard Sulphuric Acid Soln. 0.02 N	3 x 2500	MI		
3	Bromocresol Green Indicator Solution	3 x 1500	MI		
4	Phenapthelene Indicator Solution	3 x 1500	MI		
5	Calcium Carbonate	3 x 500	Gms		
F	For Analysis of Hardness (Total)				
1	EDTA Disodium Salt	600	Gms		
2	EDTA Standard Solution (0.01 M)	15	Ltrs		
3	Eriochrome Black T	75	Gms		
4	Ammonia Buffer Solution	15	Ltrs		
5	Ammonium Chloride	1500	Gms		
6	Ammonium Hydroxide	1500	MI		
7	Magnesium Sulfate	1500	Gms		
8	Magnesium Chloride	1500	Gms		

Sl. No	Description of Item	Total Qty	Unit	Quoted Price per unit	Total Price
G	For Analysis of Hardness (Calcium)				
1	Murexide Indicator	75	Gms		
2	Solochrome Blue T	150	Gms		
3	Sodium Hydroxide	1500	Gms		
H	For Analysis of Fluoride				
1	SPADNS	30	Gms		
2	Zirconil Oxychloride Octahydrate	300	Gms		
3	Hydrochloric Acid	7.5	Ltrs		
4	SPADNS Solution HACH	10	Ltrs		
I	For Analysis of Iron				
1	Ammonium Acetate	30	Kgs		
2	Acetic Acid (Glacial)	60	Ltrs		
3	Hydroxylammonium Hydrochloride	3 x 300	Gms		
4	1:10 Phenanthroline	3 x 25	Gms		
5	Ferrous Ammonium Sulphate	3 x 500	Gms		
6	Hach Ferrover Pouch	30	Packets		
J	For Analysis of Sulphate				
1	Sodium Sulphate (Anhydrous)	2500	Gms		
2	Sodium Acetate	500	Gms		
3	Barium Chloride	500	Gms		
4	Magnesium Chloride	500	Gms		
5	Potassium Nitrate	500	Gms		
K	For Analysis of Nitrate (ISE Electrode Method)				
1	Nitrate Solution as Nitrogen (100 PPM)	475	MI		
2	Nitrate Solution as Nitrogen (1000 PPM)	475	MI		
3	Interference Suppressor Solution for Ground Water	475	MI		
4	Ionic Strength Adjuster (For Surface Water)	475	MI		
L	For Analysis of Fluoride (ISE Electrode Method)				
1	Fluoride Standard (10 PPM)	475	MI		
2	Fluoride Standard (2 PPM)	475	MI		
3	Fluoride Standard (1 PPM)	475	MI		
4	TISAB II	1	Gallon		
5	Fluoride Electrode	1	No		
M	For Analysis of Bacteria (Quantitray Method)				
1	Coliart 18 (100 Nos Pack)	5			
2	Quantitray (100 Nos Pack)	5			
N	Others				
1	OT Solution (For Residual Chlorine)	6	Ltrs		
2	Nitraver Reagent Pouch	3	Packets		

N.B- ALL CHEMICALS / REAGENTS SHOULD BE ANALYTICAL GRADE, WITH PRODUCT OF MERCK, SIGMA, RANBAXY, HIMEDIA, ORION, HACH, ALDRICH & OXID etc.

Approved

[Signature]
6.3.2020

Executive Engineer
RWS&S Division, Rayagada

Authorised Signature

Format for Quotation
RWS&S Division, Rayagada

- 1 Name of the Quotation: Supply of Glasswares / Plasticwares to Water Testing Laboratories under RWS&S Division, Rayagada
- 2 Name of the Firm:
- 3 Address / Contact No. / e-mail ID if any:
- 4 GSTIN Registration No:
- 5 PAN No:
- 6 EMD Details

Schedule - "B"
Ch. Head:

Sl. No	Description of Item	Total Qty	Unit	Quoted Price per unit	Total Price
1	Buerette (50 MI)	6	Nos		
2	Buerette (25 MI)	6	Nos		
3	Volumetric Pipette (10 ml)	9	Nos		
4	Volumetric Pipette (25 ml)	4	Nos		
5	Graduated Pipette (1 MI)	11	Nos		
6	Graduated Pipette (2 MI)	11	Nos		
7	Graduated Pipette (5 MI)	11	Nos		
8	Graduated Pipette (10 MI)	6	Nos		
9	Volumetric Flask (100 MI)	15	Nos		
10	Volumetric Flask (250 MI)	9	Nos		
11	Volumetric Flask (500 MI)	6	Nos		
12	Volumetric Flask (1000 MI)	3	Nos		
13	Beaker with spout (100 MI)	36	Nos		
14	Beaker with spout (250 MI)	30	Nos		
15	Beaker with spout (1000 MI)	4	Nos		
16	Conical Flask (100 MI)	36	Nos		
17	Measuring Cylinder (500 ml)	2	Nos		
18	Measuring Cylinder (1000 ml)	2	Nos		
19	Micropipette Tipe (Variable 1-10 MI)	3	Packets		
20	Tips appendor (10 MI)	4	Nos		
21	Reagent Bottle (2000 MI)	1	Nos		
22	Reagent Bottle (1000 MI)	15	Nos		
23	Reagent Bottle (500 MI)	18	Nos		
24	Reagent Bottle (250 MI)	6	Nos		
25	Amber Bottle (1000 MI)	6	Nos		
26	Amber Bottle (500 MI)	4	Nos		
27	Amber Bottle (250 MI)	4	Nos		
28	Nessler's Tube (50 MI)	72	Nos		
29	Funnel (75 mm)	12	Nos		

Sl. No	Description of Item	Total Qty	Unit	Quoted Price per unit	Total Price
30	Spirit Lamp (Glass)	1	Nos		
31	Glass Rod (Pack of 12)	7	Packet		
32	Ice Box	1	Nos		
33	Pipette Bulb (Rubber, Pack of 4)	4	Packets		
34	Buerette Stand	7	Nos		
35	Filter Paper (Whatmann) (125 mm dia)	9	Packets		
36	Tongs	15	Nos		
37	Spatula (Stainless Steel)	15	Nos		

N.B.- ALL GLASSWARES / PLASTICWARE SHOULD BE OF BOROSIL, MERCK, RANBAXY, CORING, RIVIERA, TARSONS MAKE

Approved

[Signature]
6.3.2020

Executive Engineer
RWS&S Division, Rayagada

Authorised Signature