

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER: RAYAGADA

District Headquarters Hospital Campus, Rayagada-765001

Phone No.:06856-235603, Fax No.:06856-236631

No. 2203 /2021


Rayagada, dated, the

08/03/2021

**SHORT TENDER CALL NOTICE**

Sealed tenders are invited from the reputed suppliers / agencies **FOR SUPPLY OF MEDICAL EQUIPMENT. INSTRUMENT AND FURNITURE (EIF) UNDER NHM PIP FOR THE YEAR 2020-21.** Requirement list, Specification, terms & conditions (Tender Scheduled paper) may be downloaded from the district website [www.rayagada.nlc.in](http://www.rayagada.nlc.in)

Interested parties are invited to submit their tenders in sealed envelope (**Technical Bid & Financial Bid**) to the Chief District Medical & Public Health Officer, Rayagada on or before 19/03/2021 up to 5.30 PM by Speed Post / Registered Post / Courier service only and the same will be opened on 22/03/2021 at 11.00 AM in the office chamber of Chief District Medical & Public Health Officer, Rayagada. The parties may present or sent their authorized representatives at the time of opening of tender. The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason thereof.

  
Sd/- Dr. Arata Bandhu Nayak,  
Chief District Medical & PHO  
Rayagada.

Memo No. 2204 /2021, Dated 08/03/2021

Copy to the Joint Director I & PR Dept (Adv) for information. He is requested to publish the above matter in one leading Daily Odiya and One in English News paper for one day only.

  
Chief District Medical & PHO  
Rayagada.

Memo No. 2205 /2021, Dated 08/03/2021

Copy submitted to the Mission Director, NHM Odisha, Bhubaneswar, with a request to upload this advertisement in NHM, Odisha website [www.nrhmorissa.gov.in](http://www.nrhmorissa.gov.in) for wide publication.

Copy forwarded to the District Informatics Officer, NIC Rayagada along with PDF soft copy for information. He is requested to upload the above advertisement in the district website for wide publication.

  
Chief District Medical & PHO  
Rayagada.

Memo No. 2206 /2021, Dated 08/03/2021

Copy to PA to the Collector, Rayagada for information. He is requested to display the notice in their notice board.

  
Chief District Medical & PHO  
Rayagada.

Memo No. 2207 /2021, Dated 08/03/2021

Copy forwarded to the P.D., D.R.D.A, Rayagada / P.A, I.T.D.A. Rayagada/ Sub-Collector, Rayagada /Tahasildar, Rayagada/ D.I. & P.R.O, Rayagada// District Medical Officer (Medical Services) Cum Superintendent, DHH Rayagada / D.P.H.O, Rayagada / All A.D.P.HOs of this office/ Dist. Programme Manager, NHM, Rayagada/Dist. Accounts Manager, NHM, Rayagada for information. They are requested to display the notice in their notice board.

Copy to Notice Board of this office.

  
Chief District Medical & PHO  
Rayagada.

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER: RAYAGADA

Phone No.:06856-235603, Fax No.:06856-235603

E-mail: [smorayagada@gmail.com](mailto:smorayagada@gmail.com)

Tender Reference No. 2203

Date: 8 / 3 /2021



### TENDER SCHEDULE

FOR PROCUREMENT OF MEDICAL EQUIPMENT, INSTRUMENT AND FURNITURE  
(EIF) UNDER NHM PIP FOR THE YEAR 2020-21

DATE OF AVAILABILITY OF BID DOCUMENT	: From 08.03.2021 To 19.03.2021
LAST DATE OF SUBMISSION	: 19.03.2021 UP TO 5.30 P.M.
DATE OF TENDER OPENING	: 22.03.2021 AT 11.00 A.M.
PLACE OF OPENING OF BID DOCUMENTS	: Office Chamber of CDM & PHO

  
CHIEF DISTRICT MEDICAL & PHO,  
RAYAGADA.

SECTION -I

**IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS**

1.	Mode of Procurement	Through Open Tender
2.	Purchaser	CDM & PHO, Rayagada
3.	Delivery Period	Within 30 days from issue of Purchase Order.
4.	Mode of Delivery	By Air / Road / Rail
6.	Items	Instrument, Equipment & furniture
7.	Guarantee / Warranty	<b>Comprehensive warranty:</b> including all spares, maintenance etc. for a period 2 ( <i>two</i> ) <i>years</i> from the date of installation.
8	Tender paper Cost	<b>2000/- (Two Thousand)</b> towards tender paper cost which is non refundable
8.	EMD	<b>Rs. 10,000/- (Rupees Ten Thousand)</b> only for Earnest Money Deposit will be paid in the shape of demand Draft/Banker's Cheque only in favor of <b>Chief District Medical &amp; Public Health Officer, Rayagada</b> drawn in any Nationalized / Scheduled Bank payable at Rayagada

*[Handwritten Signature]*  
12/12/21

## SECTION –II

### TERMS AND CONDITIONS FOR SUPPLY & INSTALATION OF MEDICAL EQUIPMENTS/ INSTRUEMNTS & FURNITURES

1. Checklist with detail of the documents enclosed in **Cover "A"** (as per **Annexure - I**) with **page number**. The documents should be **serially arranged** as per this **Annexure - I** and should be securely tied and bound.
2. List of Item (s) Quoted with name of the Make & Model of the item (s) (**Annexure – II**)
3. Tender document fee of Rs.1,000/- in shape of **Demand Draft /Banker Cheque (Non-Refundable)**
4. **Earnest Money Deposit(s) of Rs. 10,000/-** in shape of Demand Draft/Banker's Cheque). Details of EMD and the name of the equipment quoted should be clearly mentioned.
5. Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor / service centre / contract person / office in Odisha (**Annexure - III**).
6. The declaration form in **Annexure - IV** duly signed by the tenderer before Notary Public / Executive Magistrate.
7. Manufacturer's Authorization Format in **Annexure –V** (In case the bidder is not the manufacturer). Importers are also required to furnish the authorization from the manufacturer.
8. Certificate duly filled by the Auditor / Chartered Accountant (as per **Annexure–VI**) that the annual average turnover of the firm is Rs.1 Crore or more in last 3 financial years(2017-18, 2018-19, 2019-20) - for bidders who are manufacturer/importer) and so also authorised distributors.
9. Performance Statement during the last three years towards proof of supply of similar equipments to any Govt. organization / Corporate Hospitals / PSU Hospitals / UN Agencies. The copy of Purchase orders and certificate from the user should be furnished in support of the information provided in the performance statement (Item wise)
10. Leaflet/Technical Brochures of the product/item offered.
11. Copy of Import License by the Importer (in case of Importer).
12. Copy of Valid ISO certificate.
13. Copy of Certificate in support of IEC certificate (as per Section V-Technical Specification).
14. Copy of the GST Clearance Certificate.
15. The Original Tender Booklet with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
16. Certificate in support of service centre in Odisha or undertaking to set up service centre in Odisha within one month from the date of installation if approved (for those who have no service centres in Odisha)

### COVER – B (PRICE BID)

- 1 The price to be quoted for medical equipments should be sent in the prescribed price format in a separate sealed cover hereafter called cover “B” (Price Bid) and super subscribe as “PRICE BID FOR INSTRUMENT, EQUIPMENT & FURNITURE”. Cover –B (Price Bid) of the tenderers who qualify in its Technical Bid (Cover – A) and complies to tender specification & find to be as per technical specification and Product demonstration (if required) will only be opened .
- 2 The tender format (Price Schedule) in duplicate in the prescribed form (as per Annexure – IX), must be submitted in Cover-B. The price of the item should be quoted inclusive of all tax & transportation. The price of CMC for 3 years, turnkey job (accessories if any for installation), should be quoted in a separate column. The rate should be quoted for *each item* both in figures and words. **In case of difference in words and figures, words will be taken into consideration for evaluation.**
- 3 The Cover “B” of tenderers who qualifies in their technical bid, will only be opened at the Office Chamber of CDM & PHO Rayagada. Date & time which will be intimated to them by CDM & PHO- R a y a g a d a .

### EARNEST MONEY DEPOSIT

1. The Earnest Money Deposit will be submitted in the shape of **demand Draft /Bankers Cheque should be in favor of CDM & PHO, RAYAGADA** from any Nationalized / Scheduled Bank payable at **RAYAGADA**.
2. The EMD of the unsuccessful tenderers will be returned back without interest and EMD of successful tenderer will be returned after submission of performance security(ies).
3. Rate should be quoted in Indian Currency, both in words and figures against each item as the payments will be made in Indian currencies only (Annexure- VII). The tenderer shall not quote the rate for any item other than the item specified in the list. (**Section V – Schedule of Requirement**).
4. Both Cover-A and Cover-B should have an **index and page number** of all the documents submitted inside that cover.
5. The Tax will be charged as per the guidelines given by the Finance Dept., Govt. of Odisha from time to time.
6. The requirement of items may increase or decrease depending on the situation.

### TURNKEY:

1. The electrical power supply point will be provided by the purchaser at the room where the equipment will be installed but the wiring and electrical fittings inside the room and accessories if any required for installation & commissioning of the equipment from the power supply point to the point of actual installation or any other civil work required for installation of the equipment will be provided by the supplier without any extra cost (apart from the cost mentioned under turnkey in the Price schedule which should include the cost of all such requirement).



### COMPREHENSIVE WARRANTY & CMC:

1. The comprehensive warranty will remain valid for 2 years from the date of installation & commissioning of the equipment. The original copy of warranty documents will be submitted to the purchaser at the time of installation.
2. The warranty will cover **all the parts of the machine or item and any replacement or repair required** within the warranty period and will be provided by the supplier free of cost at the destination point (installation point). The supplier will take back the replaced parts / goods at the time of their replacement. No claim whatsoever shall be on the purchaser for the replaced parts / goods thereafter. No travelling allowances or transportation cost will be paid by the purchaser during the warranty period.
3. The Supplier shall warrant that the Goods supplied under this contract are new, unused, of the most recent or current models and they incorporate all recent improvements in design and materials. The Supplier shall further warrant that all Goods supplied under this contract shall have no defect arising from design, materials or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the place of final destination.



4. All the warranty certificates must be handed over to the consignee after installation.

**TRAINING & OPERATIONAL MANUAL:**

1. The firm / supplier will provide hands on training to two doctors and two technicians in his own cost for operating / handling the medical equipment(s) at the time of installation of equipment.
2. The supplier / firm will provide the operation / maintenance manuals of all equipments to the purchaser at the time of installation.

**UPTIME GUARANTEE:**

1. The Supplier (s) shall provide guarantee 95% uptime during comprehensive warranty period, i.e., for 2 years from the date of installation & commissioning.
2. Any uptime less than the specified period above will be compensated by the Supplier(s) by extending the warranty period. The consignee shall maintain a logbook in the format provided by the Supplier(s) which will indicate usage of the equipment every day and for calculation of up-time.

**DOWNTIME PENALTY CLAUSE:**

1. During the Guarantee / warranty period, desired uptime of 95% of 365 days will be ensured (24 hour). If downtime exceeds 5%, penalty in the form of extended warranty, double the number of days for which the equipment goes out of service will be applied. The supplier must undertake to supply all spares for optimal upkeep of the equipment for **TWO YEARS** after installation. If accessories / other attachment of the system are procured from the third party, then the supplier must produce cost of the accessory / other attachment and the CMC from the third party separately along with the main offer and the third party will have to sign the CMC with the purchaser if required.
2. In no case equipment should remain in non-working condition for more than 7 (seven) days from the date of complaint, beyond which a penalty will be applicable as per Rule.
3. The principals or their agents are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.

**LABELLING:**

1. The equipment supplied must be properly labelled with Sl. No., Model Name, Make & year of Manufacture



### ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:

1. The Purchaser reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
2. The Purchaser will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
3. The **supply should be completed within 30 days** from the date of issue of purchase order unless otherwise specified. If no supply is received even after 30 days or 58 days with liquidated damage from the date of issue of the purchase orders, authority reserves the rights to cancel the supply order.
4. The tender inviting authority or his authorized representative (s) has the right to inspect the factory of those company who have quoted for the tender, before accepting the rate quoted by them or before releasing any purchase order (s) or at any point of time during the validity period of tender and has also the right to reject the tender or terminate / cancel the orders issued or not to reorder based on the facts brought out during such inspections.

### EVALUATION:

1. The price bid of the tenders who qualify in the technical bid fulfilling the eligibility criteria and complying to the technical specification shall only be opened.
2. The tender inviting authority may ask for demonstration of the equipment by the bidders at the premises of the tender inviting authority or a place as decided by the tender inviting authority as a part of the technical evaluation before opening of price bid in order to verify the compliance to technical specification.

### LIQUIDATED DAMAGE :

1. The CDM&PHO, Rayagada may allow extension for a maximum period of 4 (four) weeks(28 days), after the stipulated date of supply (i.e. 45 days) with a penalty of 0.5% which will be deducted from the purchase order value as "Liquidated Damage", for each week (7 days) of delay upto a maximum 2% on the value of the goods.
2. If the supplier fails to complete the supply within the extended period, i.e. 58 days after being allowed by the purchaser, no further purchase order will be placed to the firm for the said item including forfeiture of the Performance security and the concerned firm will be blacklisted for two (2) years from the date of issue of letter for the said item.



SECTION -III

PART-A

**Schedule of Requirements of Equipments, Instruments & Furnitures**

SI No	Name of Items	Requirement	Place of Supply	Time of Supply
1	Shoulder Wheel		DHH, Rayagada	30 Days
2	Shoulder ladder			
3	Overhead Pully			
4	Walker			
5	Cervical Traction			
6	Exercise Bycle			
7	Lumbar Traction			
8	Gait Aid applience			
9	Hydro collator unit			
10	Traction Bed			
11	Head light			
11	Ear Specula			
12	Ear Syringe			
13	Otoscope			
14	Jobson Horne Probe			
15	Tunng Fork			
16	Noise Maker			
17	Mouth Mirror			
18	Periodontal Probe			
19	Tooth Model with brush			
20	Torch			
21	IUCD KIT			
22	PPIUCD Forcep			



## SECTION –IV

### TECHNICAL SPECIFICATION

1	Head Light	<p><b>Purpose:</b> Coaxial luminaire provides shadow free illumination for improved efficiencies</p> <p><b>Light weight and comfortable head band options</b> : Yes</p> <p><b>Supply of accessory like charger, cable &amp; batteries</b> : Yes</p> <p><b>Color of light</b> : Cool day light</p> <p><b>Brightness (Lumen):</b> 40</p> <p><b>Color Temperature (Degree Kelvin):</b> 4500 degree K,</p> <p><b>Minimum LED Life (Hours):</b> 20000</p> <p><b>Nature of focusing:</b> Spot</p> <p><b>Portable compact design with no wires- into shirt pocket:</b> Yes</p> <p><b>Charging time (Hours):</b> 2-4Hours</p> <p><b>Color rendering Index (CRI):</b> 90</p> <p><b>Type of battery</b> : Alkalline</p> <p><b>Run time (Minutes ):</b> 60</p> <p><b>ON/OFF control:</b> Yes</p> <p>MINIMUM Spot diameter (mm): 10</p> <p>MAXIMUM Spot diameter (mm) : 60</p> <p><b>Standards:</b></p> <p>Product complies with: <b>IEC 60601-1 and IEC60601-2-41</b> :Yes</p> <p>Model Should be CE/BIS certified :<b>Yes</b></p> <p>Manufacturer should be ISO13485 certified: <b>Yes</b></p>
2	Ear Specula	<p>Shape: Oval cone design</p> <p>Material: Stainless Steel, antimagnetic, acid-resistant</p> <p>Supply: Set of 4nos. Diameter: 3mm, 4mm, 5mm &amp; 7mm respectively.</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
3	Otoscope	<p>Diagnostic Otoscope rechargeable set is to be supplied in Leather / hard case preferably HIP (High Impact Plastic) with internal soft cushion material for easy portability and protection :<b>Yes</b></p> <p>Light source : <b>LED bulb</b></p> <p><b>Lamp Hour: 20,000 hours minimum / 2years warranty of free replacement</b></p> <p>Number of Spare bulbs to be provided along with the otoscope: 0</p> <p>Speculum adapter to be provided : <b>Yes</b></p> <p>Number of sets of different sizes of Ear Specula to be provided along with otoscope : <b>2nos (One for Adult &amp; one for pediatric)</b></p> <p>Disposable : <b>No, It should be reusable</b></p> <p>Removable Otoscope head : <b>Yes</b></p> <p>Rotatable lenses : <b>Yes</b></p> <p>Rechargeable handle: <b>Yes</b></p> <p>Provision for variable light intensity: <b>Yes</b></p> <p><b>CRI: Minimum 90</b></p> <p><b>Color temperature: 4300K minimum</b></p> <p><b>CONSTRUCTION/FUNCTIONAL FEATURES</b></p> <p>Material of the device body: Medical Grade Stainless Steel/Medical grade ABS body</p> <p>Instrument Head Matt-black from inside: <b>NA</b></p> <p>Fibre optics for Cool Light Transmission: <b>Yes</b></p> <p>Magnification: <b>3x/3.5x</b></p> <p>Wide angle viewing lens allowing instrument under Magnification: <b>Yes</b></p> <p>Provision of sealed system for Pneumatic otoscopy with detachable pneumatic bulb</p>



		<p>: NA</p> <p>Voltage Rating of the bulb (Volts)(Min) :2.5/3/3.5</p> <p>Type of rechargeable battery: Li-ion/Ni-Cd/AA</p> <p>Capacity of the Battery (mAh):NA</p> <p>Battery Voltage(Volts) : 2.5/3/3.5</p> <p>Continuous runtime of the battery (Minutes):Minimum 60minutes</p> <p>Charger to be provided along with the device: Yes</p> <p>Weight (gms):200-300</p> <p><b>STANDARD</b></p> <p>Conformity to Standard : EU-CE/USFDA/BIS</p> <p>Manufacturer Should be ISO13485 certified</p>
4	Jobson Horn Probe	<p>Jobson Horne Probe size: 5.5"</p> <p>Features: double end one side screw and other side round loop.</p> <p>Rust free sturdy construction for better grip.</p> <p>A light-weight, flexible and strong.</p> <p>Probes designed as a dual-purpose instrument with Curette loop at one end and a threaded section at the other for holding wrapped cotton wool.</p> <p>Reduced patient trauma due to smooth edges.</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
5	Tuning Fork	<p>Nickel-plated steel, material thickness 8 mm, Frequency: 128 Hz / 512 Hz and 1024 Hz.</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
6	Noise Maker	<p>Bell made of brass. Minimum length -8.5cm and minimum weight -70gram. Should be child friendly.</p> <p>Manufacturer should be ISO certified</p>
7	Mouth mirror	<p>Type Mirror With Handle</p> <p>Shape of Mirror: Round</p> <p>Diameter of Mirror (mm) set :18 millimeter &amp; 20millimeter</p> <p>Material of housing of the mirror: Medical Grade Stainless Steel(316/ASi410)</p> <p>Anti Fog Coating Yes</p> <p>Thick Non-Slip Handle for perfect grip: Yes</p> <p>Mirror should be With minimum 10 Cm Length of Handle: Yes</p> <p>Mirror should be detachable from the handle: Yes</p> <p>Extra light and handy for more fatigue-free working : Yes</p> <p><b>GENERAL FEATURES</b></p> <p>Product Description: Dental Mouth Mirror or Dentist's Mirror</p> <p>Clinical Purpose: For allowing indirect vision by the dentist, reflecting light onto desired surfaces and retraction of soft tissues</p> <p>Disposable or Reusable: Reusable</p> <p>Sterile :Yes</p> <p>Autoclavable: Yes</p> <p>PACKAGING: Individually Packed</p> <p><b>CERTIFICATIONS &amp; REPORTS</b></p> <p>Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification at the time of supply: YES</p> <p>Product certification: Manufacturer should be ISO13485 certified</p> <p>Product should be CE /IS approved</p>



		<p><b>WARRANTY &amp; MAINTENANCE</b>  Warranty (Years) :Replacement warranty of 1year</p>
8	Periodontal probe	<p>Double ended periodontal probe. Provides accurate pocket depth measurement – and information on sub gingival calculus and other root surface unevenness  Ball end of <math>\varnothing</math> 0,5 mm - Increases tactile sensitivity - Does not damage tissue or pierce pocket bottom  Sterilization / Disinfection: Completely reusable and fully autoclavable.  Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'  Manufacturer should be ISO 13485 certified  Product should be CE/BIS approved</p>
9	Tooth Model	<p>Enlarged mouth model with toothbrush to demonstrate correct brushing and dental care.  This model is three times life size and has normal anatomy. It's great for teaching proper brushing and flossing techniques.  This teeth care demonstration model features a mouth with 32 teeth at three times life-size, for closer observation  European CE Declaration according to 2014/53/EU and European Directive on Medical Devices  Manufacturer's Quality Certification according to ISO 13485 Yes  Packing Each model should be packed individually.  Warranty 1 year</p>
10	Torch	<p>Should provide even field of light  Bright and natural white light by high performance LED.  LED burns at least 20,000 hours.  Metal /ABS casing.  Easy to use with on/off switch.  Includes blade holder, batteries and nylon case.  Designed for durability, comes with a 2-year warranty including LED  Adjustable spot size from 2-5CM  Manufacturer should be ISO certified  Product should be CE/BIS approved</p>
11	Shoulder Wheel Over Head pully Shoulder ladder	<p><b><u>Shoulder wheel, Overhead pulley, Shoulder ladder (set)</u></b></p> <p><b>Clinical use:</b> Used for improving mobility &amp; strength of shoulder girdle &amp; rotator cuff muscles in case of frozen shoulder, paresis &amp; paralysis cases.  <b>Technical Specification:</b>  <b>A.Shoulder Wheel:</b></p> <ul style="list-style-type: none"> <li>➤ It should be a wall mounted one.</li> <li>➤ The wheel for use of adult and pediatric</li> <li>➤ The motion arc can be adjustable from 10 to 38 inches by adjusting the handle.</li> <li>➤ The wheel shall be mounted on a two chrome plated height adjustable (8" to 26") rails.</li> <li>➤ The resistance can be varied by turning the resistance knob.</li> <li>➤ The manufacturer should be ISO certified</li> </ul> <p><b>B. Over Head Pulley:</b></p> <ul style="list-style-type: none"> <li>➤ Heavy duty, medical grade, shoulders pulley exerciser for physical therapy use.</li> <li>➤ Over the door metal bracket allows easy one hand setup.</li> <li>➤ Units with a door strap require two hands, which is difficult with an injured shoulder.</li> <li>➤ Easily adjustable cord length for any height and for use in both seating and standing position.</li> <li>➤ The overhead pulley should have the provision of wall mounting.</li> </ul> <p><b>C. Shoulder Ladder:</b></p> <ul style="list-style-type: none"> <li>➤ Wood Finger/Shoulder Ladder</li> <li>➤ 32 vertical finger steps</li> </ul>



		<ul style="list-style-type: none"> <li>➤ Solid wood with heavy topcoats</li> <li>➤ Pre-drilled mounting holes</li> <li>➤ The manufacturer should be ISO certified.</li> </ul>
12	Walker	<p>Product type: Frame type, foldable walker  Purpose : Walking training device for improving postural alignment while walking, overcoming musculoskeletal impairments and for improving mobility anterior support with less energy consuming  Usage : Youth &amp; OLD</p> <p>PRODUCT INFORMATION  Posture control possible: <b>Yes</b>  Light weight: <b>Yes</b>  Wiped clean with a damp cloth: <b>Yes</b>  Safety mechanism provided to prevent the user from slipping while walking : <b>Yes</b>  Foldable for easy storage and transportation: <b>Yes</b>  Anterior support <b>Yes</b>  Forearm Supports with latex free flanged hand grips: <b>Yes</b></p> <p>DIMENSIONS, MATERIAL &amp; WEIGHT  Material frame: Stainless steel tubular frame  Height of walker with standard wheels (cm): <b>NA</b>  Height of walker with activity wheels (cm): <b>NA</b>  Distance between hand grips (cm): 34  Frame width (Cm) : 58 to 60  Frame length (cm) : 52-59  Maximum user weight (kg): 100  Frame weight (kg) : 2.5 to 3.0</p> <p>PACKING MODE  All the main parts and accessories are Individually bubble wrapped and packed in a strong box to avoid transit damage <b>Yes</b></p> <p>CERTIFICATIONS &amp; REPORTS  Submission of Test Report from Central Government /NABL/ILAC accredited Lab or Manufacture's in house Test Report to prove the conformity to declared specification at the time of supply <b>Yes</b>  Certification Available: ISO for manufacturer  Product should be CE/ BIS approved  WARRANTY: 1 year</p>
13	Cervical traction (manual)	<p>Cervical Traction Kit is a complete apparatus designed to provide traction to the cervical and upper dorsal vertebrae.</p> <p>Cervical traction Kit includes the following:</p> <ul style="list-style-type: none"> <li>➤ Traction Pulley Bracket</li> <li>➤ Cervical Traction Head Halter</li> <li>➤ Cervical Traction Spreader Bar</li> <li>➤ Traction Cord (Nylon rope) 5 meter.</li> <li>➤ Traction Weight Bag with weights</li> </ul> <p>Controlled continuous traction  Easy removal and application  Reduced frictional losses  Durable and sturdy for a long life and multiple use.  Can be used in sleeping posture. Pulley is ergonomically designed to fit any bed side.  Soft padded head halter provides a comfortable interface for the traction, is easy to wear and use.  Manufacturer should be ISO 13485 certified  Product should be CE/BIS certified.</p>
14	Exercise Bicycle	<p>i) Tubular steel frame on properly balanced legs with four rubber tips</p>



		<p>ii). Fitted with one hard rubber type wheel, standard chain and a socket</p> <p>iii). Seat should be adjustable</p> <p>iv). Should be fitted with a ball bearing resistance roller which permits controlled movement in riding</p> <p>v. LCD/LED display with speedometer.</p> <p>vi. Warranty: 3 Years</p> <p>Manufacturer should be ISO13485 certified</p> <p>Product should be CE/BIS certified</p>
15	Lumber Traction manual	<p>It strengthening broken bones, immobilization or relieving pressure on the skeletal system.</p> <p>Composition:</p> <p>Universal type</p> <p>Includes pelvic belt, spreader bar &amp; 3 meter long cord.</p> <p>It contains traction water and sand weight bag</p> <p>traction pulley bracket</p> <p>the pelvic traction belt</p> <p>traction cord and 8 kg weight.</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be BIS/CE approved</p>
16	Gait Training Apparatus/ Parallel bar	<p><b>Clinical Use:</b> It use for horizontal surface gait training, Coordination training of lower limb in various neurological conditions like paralysis, GBS, Parkinson etc.</p> <p><b>Technical Specification</b></p> <p>The parallel bar should be a height adjustable; platform based one which should be very simple for easy accommodation of multiple patients of age group.</p> <p>The handrails should be in single piece, circular in design stainless steel ribbed pipe of minimum diameter 1 1/2".</p> <p>Both the end of the handrails should be fitted with bumpers.</p> <p>The Uprights should be made of heavy gauge square 1 1/2" steel tubes.</p> <p>All parts should be powder coated except the handrail. The handrail should single piece stainless steel pipe</p> <p>The uprights are to be fitted on a 1 1/2" thick hard plywood base water and termite resistance. Both end of this platform should be curved slope for obstruction free. The platform should be stain finish. Both the end of the platform should have two anti-slip threads for none skidding.</p> <p>Safety treads at both ends of platform should be provided for safety of the patient when take turn.</p> <p>Models make it safer for patient to turn</p> <p><b>15.3: Minimum dimension of the structure:</b></p> <p>Length of the bar: 10feet</p> <p>Width of the bar: 25" – 28"</p> <p>Height adjustment of the Bar: 26" – 39"</p> <p>The manufacturer should be ISO approved.</p>
17	Hydro Collator Unit	<p><b>Clinical Use:</b> A moist heat modality use as a superficial to medium penetration thermotherapy modality. Clinically use for chronic pain management &amp; joint stiffness cases.</p> <p><b>Technical Specification:</b></p> <ul style="list-style-type: none"> <li>➤ Water tank made up of Stainless steel inner &amp; outer Cabin ( 20-25 Gauge thickness)</li> <li>➤ High grade thermally insulated</li> <li>➤ Static/Movable base</li> <li>➤ Top lid of stainless still, thermally insulated with Fibre handle.</li> <li>➤ Product Type:Table Top</li> <li>➤ Dimensions: NA</li> <li>➤ Tank capacity: 10- L</li> <li>➤ Temperature range: 50-90 degrees Celsius</li> <li>➤ Thermostatic temperature control (50 - 90 degree C) - Auto cut-off</li> </ul>



		<ul style="list-style-type: none"> <li>➤ Thermal cut-out temperature</li> <li>➤ Temperature accuracy: +/- 10%</li> <li>➤ Heat-up time to 90 degree Celsius: in 3 hrs.</li> <li>➤ Cool-down time from 90 degrees Celsius: 2 hrs.</li> </ul> <p><b>Power supply</b> Mains power: 220-230 V, 50/60 Hz Power consumption: 1000Watt</p> <p><b>Safety Standard</b> Electrical safety class: Class 1, type B Safety tests: Conforms to IEC 60601-1</p> <p><b>Quality Standard:</b> The model should be CE/BIS approved. The manufacturer should be ISO13485 certified</p> <p><b>Accessories must include:</b></p> <ul style="list-style-type: none"> <li>➤ Hydro collator Moist Heat Hot Pac : Standard Size-1, Over size-1,Cervical Standard size-1, Hydro collator Knee or Shoulder HotPac-1.</li> <li>➤ Cotton Towel: 4 pieces.</li> </ul>
18	Traction Bed	<p>i Traction Bed – 4 Fold</p> <p>ii. Size : 6 (L) x 2.5 (W) x (H) 3 feet</p> <p>iii. For horizontal cervical and lumbar traction.</p> <p>Should have complete with Storage Shelf &amp; a Flexion Stool</p> <p>Manufacturer should have ISO certified.</p> <p>Product should be CE/BIS Certified</p>

# CHECK LIST

(To be submitted in Cover A Technical Bid)

**Note : The documents has to be arranged serially as per the order mentioned in the check list**



**COVER – A (TECHNICAL BID)**

DOCUMENTS : SUBMITTED OR NOT

Sl no	Documents	Submitted (Yes/ No)	Page No	
1	List of Item (s) – Annexure II			
2	Tender document Fee			
3	Earnest Money Deposit			
4	Details of Manufacturing Unit / contract person Liaisioning agent / servicing centre (Annexure III			
5	Declaration form (Annexure -IV) signed by the Tenderer & affidavit before Notary Public / Executive Magistrate			
6	Manufacturer's Authorization Format (Annexure – V)(for distributor/Importer)			
7	Proof of avg. Annual turnover preceding 3 financial years (for manufacturer /Importer) / Proof of Annual turnover for preceeding 3 financial years for authorized distributor as well as manufacturer/Importer (in case of distributor) (Annexure - VI )			
8	Performance Statement ( <i>Item wise</i> ) during the last three years Copies of Purchase order ( <i>Item wise</i> ) in support of the performance statement			
09	Leaflets/Technical Brocheures of the Products offered ( <i>Item wise</i> )			
10	Copy of Valid ISO Certificate			
11	Attested Photocopy of Up-to-date IEC Certificate ( <i>Item wise</i> ) (As per technical specification)			
12	Photocopy of PAN			
13	Photocopy of GST certificate			





ANNEXURE – III

(To be submitted in *Cover A -Technical Bid*)

**DETAILS OF THE TENDERER & LOCAL CONTACT PERSON/  
SERVICE CENTRE**

	<b>Corporate Office</b>  (The address in which the purchase orders and payment details will be communicated)	<b>Address of Local Contact Person / Branch Office / Zonal Office</b>  <b>Address of Service Centre if any, in Odisha.</b>
Name & Full Address		
Telephone Nos., landline		
Mobile		
Fax		
E – Mail		
Date of Inception	(Copy of Certificate of incorporation of	
Name of the issuing authority		
Import License (in case of		
GST		
PAN		
Details of the Service Centre Facilities (in Odisha)		

**Signature of the Tenderer :**

**with seal**



(To be submitted in *Cover A -Technical Bid*)

**DECLARATION FORM**

I / We .....having My / our  
.....office  
at.....do declare that I / We have carefully read all  
the terms & conditions of tender of the \_\_\_\_\_, Odisha for the supply of  
medical equipments. The approved rate will remain valid for a period of one year from  
the date of approval. I will abide with **all the terms & conditions** set  
forth in the **Tender Reference no.** \_\_\_\_\_

I/We do hereby declare I/We have not been de-recognised / black listed by any  
State Govt. / Union Territory / Govt. of India / Govt. Organization / Govt. Health  
Institutions for supply of Not of Standard Quality items / non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money  
Deposit and or Performance Security Deposit and blacklist me/us for a period of 3  
years if, any information furnished by us proved to be false at the time of inspection /  
verification and not complying with the Tender terms & conditions.

I/ We \_\_\_\_\_do hereby declare that I /  
We supply the \_\_\_\_\_ supply the items as per term and  
condition of the tender document. I/ We further declare that I/we have service center/ will  
establish a service center within a month of installation of equipment in odisha.

Signature of the bidder :

Date :

Name & Address of the Firm:

Seal:



(To be submitted in *Cover A -Technical Bid*)  
**MANUFACTURER'S AUTHORISATION FORMAT**

To \_\_\_\_\_  
\_\_\_\_\_

Ref: Tender No. \_\_\_\_\_ Dated \_\_\_\_\_ for \_\_\_\_\_. Dear Sir, We, -----  
----- are the manufacturers of -----

(name of equipment(s) and have the manufacturing factory at -----  
-----.

1. Messrs ----- (name and address of the agent) is our authorized distributor for sale and service of ----- (name of equipment(s))
2. We confirm that **no supplier or firm or individual other than Messrs-----**  
----- (name of the above distributor) is authorized to submit a tender and enter into a contract with you for the above goods manufactured by us.
3. We also extend our full warranty (3 years comprehensive warranty ) and also full back-up support for 3 years AMC/CMC after the warranty period as required by the purchaser.
4. We undertake that we have adequate infrastructure and spare part support to carry out the warranty and AMC/CMC services and do accept to provide uptime guarantee of 95% as per this tender clause No. 13.1.

Yours faithfully,

-----

(Signature with date, name and designation)

For and on behalf of Messrs -----

(Name & address of the manufacturers)

Seal

Note :

1. This letter should be on the **letterhead** of the **manufacturer** and should be signed by a person having the power of attorney to legally bind the manufacturer.

2. Original letter shall be attached to the technical bid.

(To be submitted in Cover A -Technical Bid)

**ANNEXURE – VI**

(To be furnished in the **letter head** of the Auditor/ Chartered Account)

**ANNUAL TURN OVER STATEMENT**

The Annual Turnover for the last three financial years of M/s \_\_\_\_\_ who is a Manufacturer / Distributor / Importer (Pl. tick whichever is applicable) are given below and certified that the statement is true and correct.

Sl.No.	Year	Turnover in (Rs.)
1.	2017-2018	-
2.	2018-2019	-
3.	2019-2020	-

**Average Annual Turnover** (for the above three years) in (Rs.) \_\_\_\_\_

Date:  
Place:

Signature of Auditor/  
Chartered Accountant  
(Name in Capital) Seal

Note

To be issued in the **letter head** of the Auditor/Chartered Accountant mentioning the Membership no.



**To be submitted in Cover B – Price Bid  
FORMAT - PRICE SCHEDULE**

Name of the Item (s) (Items mentioned in the schedule of requirement)	Make & Model	Unit Price with all accessories which includes excise duty / customs duty, packing, insurance, forwarding / transportation (door delivery)	**Cost of Turnkey if any (all accessories for installation & commissioning including all taxes for turnkey in Rs.(Door delivery & installation)	*Total Cost of the Item (Unit Price)	GST%
1	2	3	4	5=3+4	7

The cost of turnkey shall only be quoted if any specific accessories/equipment is required for installation & commissioning. In case of turnkey, the details of accessories/equipment are to be mentioned.

Date :  
Place :

Signature of the Bidder:  
Name :

Seal

1. Rates should be quoted both in figures & words for each item and if there is any discrepancy, the quoted rates in words will be taken for evaluation.
2. The tenderer has to mention the make / brand, specification, warranty of all the items in turn key.

